

Residential Review – One Texas Center 505 Barton Springs Road, Austin, TX 78704; Phone 3-1-1

Residential New Construction and Addition Permit Application

| Property Information | | | | |
|---|--|--|--|--|
| Project Address: | Tax Parcel ID: | | | |
| Legal Description: | | | | |
| Zoning District: | Lot Area (sq ft): | | | |
| Neighborhood Plan Area (if applicable): | Historic District (if applicable): | | | |
| Required Reviews | | | | |
| Is project participating in S.M.A.R.T. Housing? Y N D | oes project have a Green Building requirement? Y N | | | |
| | f yes, attach signed conditional approval letter from Austin Energy Green Building) | | | |
| Is this site within an Airport Overlay Zone ? Y N D | oes this site have a septic system ? Y N | | | |
| (If yes, approval through Aviation is required) | f yes, submit a copy of approved septic permit. OSSF review required) | | | |
| Does the structure exceed 3,600 square feet total under roof? | Y N (If yes, Fire review is required) | | | |
| Is this property within 200 feet of a hazardous pipeline? | Y N (If yes, Fire review is required) | | | |
| Is this site located within an Erosion Hazard Zone? | Is this property within 100 feet of the 100-year floodplain ? | | | |
| Y N (If yes, EHZ review is required) | Y N (Proximity to floodplain may require additional review time.) | | | |
| Are there trees 19" or greater in diameter on/adjacent to the property If yes, how many? (Provide plans with a tree survey, tree review requirements. | ired.) | | | |
| Was there a pre-development consultation for the Tree Review? | Y N Proposed impacts to trees: (Check all that apply) Root zone Canopy Removal None/Uncertain | | | |
| Is this site in the Capital View Corridor? Y N (If yes, a preliminary review through land use is needed to determine if full view corridor review is required.) Is this site in the Residential Design and Compatibility Standards Ordinance Boundary Area? (LDC 25-2 Subchapter F) Y N | | | | |
| Does this site currently have: water availability? Y N wastewater availability? Y N | (If no, contact Austin Water Utility to apply for water/wastewater taps and/or service extension request.) | | | |
| Does this site have or will it have an auxiliary water source? Y N (If yes, submit approved auxiliary and potable plumbing plans.) (Auxiliary water supplies are wells, rainwater harvesting, river water, lake water, reclaimed water, etc.) | | | | |
| Does this site require a cut or fill in excess of four (4) feet? Y | $N \ \ (\text{If yes, contact the Development Assistance Center for a Site Plan Exemption})$ | | | |
| · · · · · · · · · · · · · · · · · · · | Is this site within the Lake Austin Overlay? Y N | | | |
| | (LDC 25-2-180, 25-2-647) | | | |
| Does this site front a paved street? Y N (If no, contact Development Assistance Center for Site Plan requirements.) Is this site adjacent to a paved alley? Y N (Public Works approval required to take access from a public alley.) | | | | |
| (If no, contact Development Assistance Center for Site Plan requirements.) (Public Works approval required to take access from a public alley.) Does this site have a Board of Adjustment (BOA) variance? Y N Case # (if applicable) | | | | |
| (If yes, provide a copy of decision sheet. Note: A permit cannot be approved within | \ II / | | | |
| Description of Work | | | | |
| Is Total New/Added Building Area > 5,000 sq. Ft.? Y N | (If yes, construction material recycling is required per LDC 25-11-39) | | | |
| Existing Use: vacant single-family residential du | plex residential two-family residential other: | | | |
| Proposed Use: vacant single-family residential dup | plex residential two-family residential other: | | | |
| Project Type: new construction addition | addition/remodel other: | | | |
| Will all or part of an existing exterior wall, structure, or roof be removed as part of the project? Y N (Notes: Removal of all or part of a structure requires a Demolition Permit Application per LDC 25-11-37. A demo permit is not required for the removal of all or part of an interior wall, floor or ceiling) | | | | |
| # existing bedrooms: # bedrooms upon completion: | # baths existing: # baths upon completion: | | | |
| Project Description: (Note: Please provide thorough description of project. Attach additional pages as necessary.) | | | | |
| Trades Permits Required (Check as applicable): electric p | lumbing mechanical (HVAC) concrete (R.O.W.) | | | |

| Total Remodeled Floor Area (if applicable) | | | | | | |
|--|---|------------------------|-------------------|--------------|---------------|---------|
| sq ft. (work within existing habitable square footage) | | | | | | |
| Job Valuation – For Properties in a Floodplian Or | nly | | | | | |
| Total Job Valuation: \$ | Amount for Primary Structure: \$ Elec: \(\superstructure \) | | | | | |
| Note: The total job valuation should be the sum total of all valuations noted to the right. Labor and materials only, rounded to nearest dollar. | Amount for Accessory Structure: \$ Elec: \[\superstructure \] \[\text{N} \] \[\text{Plmbg:} \[\superstructure \] \[\text{N} \] \[\text{Mech:} \[\superstructure \] \[\text{N} \] | | | | | |
| Site Development Information | | | | | | |
| Area Description Note: Provide a separate calculation for each distinct area. Attach | | ng sq. ft. to emain | New/Added sq. ft. | | Total sq. ft. | |
| additional sheets as necessary. Measurements are to the outside surface of the exterior wall. | Bldg. 1 | Bldg. 2 | Bldg. 1 | Bldg. 2 | Bldg. 1 | Bldg. 2 |
| a) 1st Floor conditioned area | | | | | | |
| b) 2 nd Floor conditioned area | | | | | | |
| c) 3 rd Floor conditioned area | | | | | | |
| d) Basement | | | | | | |
| e) Covered parking (garage or carport) | | | | | | |
| f) Covered patio, deck, porch, and/or balcony area(s) | | | | | | |
| g) Other covered or roofed area | | | | | | |
| h) Uncovered wood decks | | | | | | |
| Total Building Area (total a through h) | | | | | | |
| i) Pool | | | | | | |
| j) Spa | | | | | | |
| k) Remodeled Floor Area, excluding Addition / New Construction | | | | | | |
| The Calculation Aid on page 7 is to be used to con information. | plete the | e following ca | alculations | and to prov | ride additio | nal |
| Building Coverage Information | | | | | | |
| Note: Building Coverage Information Note: Building Coverage means the area of a lot covered by buildings or roofed areas, but excludes ground-level paving, landscaping, open recreational facilities, incidental projecting eaves, balconies, and similar features. Pools, ponds, and fountains are not included in this measurement. (LDC 25-1-21) | | | | | | |
| Total Building Coverage (sq ft): % of | f lot size: _ | | | | | |
| Impervious Cover Information | | | | | | |
| Note: Impervious cover is the total horizontal area of covered spaces including building coverage, paved areas, walkways, and driveways. The term excludes pools, ponds, fountains, and areas with gravel placed over pervious surfaces that are used only for landscaping or by pedestrians. For an uncovered wood deck that has drainage spaces between the deck boards and that is located over a pervious surface, 50 percent of the horizontal area of the deck is included in the measurement of importance over (LDC 25.1.22) | | | | | | |
| Total Impervious Cover (sq ft): % of | f lot size: _ | | | | | |
| Setbacks Are any existing structures on this site a non-compliant structure based on a yard setback requirement? (LDC 25-2-492) Y N Does any structure (or an element of a structure) extend over or beyond a required yard? (LDC 25-2-513) Y N Is front yard setback averaging being utilized on this property? (LDC 25-2, Subchapter F, Sec. 2.3 or 25-2-778) Y N | | | | | | |
| Height Information (LDC 25-1-21 or 25-2 Subchapter F, Section 3 | 3.4) Pa | arking (LDC 25 | -6 Appendix A | & 25-6-478) | | |
| Building Height: ft in Number of Floors: # of spaces required: # of spaces provided: | | | | | | |
| Right-of-Way Information Is a sidewalk required for the proposed construction? (LDC 25-6-353) Y N *Sidewalks are to be installed on any new construction of a single family, two-family or duplex residential structure and any addition to an existing building that increases the building's gross floor area by 50 % or more. | | | | | | |
| Will a Type I driveway approach be installed, relocated, re | emoved or | repaired as par | rt of this proj | ect? Y | N | |
| Width of approach (measured at property line): ft Distance from intersection (for corner lots only): ft | | | | | | |
| Are storm sewer inlets located along the property or with | | feet of the bou | undaries of th | ne property? | Y N | ſ |

Subchapter F

Gross Floor Area

This section is only required for projects located within the Residential Design and Compatibility Standards Ordinance Boundaries as defined and illustrated in Title 25-2 Subchapter F of the Land Development Code. The Gross Floor Area of each floor is measured as the area contained within the outside edge of the exterior walls.

| | | Existing sq. ft. | New/Added sq. ft. | Proposed Exemption (check article utilized) | Applied Exemption sq. ft. | Total sq. ft. | |
|---|------------|--|----------------------|--|------------------------------|---------------|--|
| 1st Floor | | | • | | | | |
| 2 nd Floor | | | | | | | |
| 3 rd Floor | | | | | | | |
| Area w/ ceili | ngs > 15' | | | Must follow article 3.3.5 | | | |
| Ground Floor Porch ¹ (check article utilized) | | | | ☐ Full Porch sq. ft. (3.3.3.A) ☐ 200 sq. ft. (3.3.3 A 2) | | | |
| Basement ⁴ | | | | Must follow article 3.3.3B, see note below | | | |
| Attic 5 | | | | Must follow article 3.3.3C, see note below | | | |
| Garage ² (check article utilized) | Attached | | | ☐ 200 sq. ft. (3.3.2 B 1) | | | |
| | Detached | | | ☐ 450 sq. ft. (3.3.2 A 1 / 2a) ☐ 200 sq. ft. (3.3.2 B 2a / 2b) | | | |
| article | Attached | | | ☐ 450 sq. ft. (3.3.2 B 2a / 2b) ☐ 200 sq. ft. (3.3.2 B 1) ³ | | | |
| | Detached | | | ☐ 450 sq. ft. (3.3.2 A 1) | | | |
| Accessory Bu (detached) | uilding(s) | | | | | | |
| Totals | | | | TOTAL GROSS FLOOR AREA | | | |
| (Total Gross Floor Area ÷ Lot Area) x 100 = Floor-To-Area Ratio (FAR) | | | | | | | |
| | | required for this pr er, within 9 feet of a sid | 5 | N nds further than 36 feet in length per art | icle 2.7.1) | | |
| Does any portion of the structure extend beyond a setback plane/exemption exhibit (aka "tent")? Y N (If Yes, indicate applicable section of Subchapter F and length of protrusion on the drawings.) | | | | | | | |
| 1 Ground Floor Porch exemption: A ground floor porch, including a screened porch, may be exempted, provided that the porch is not accessible by automobile and is | | | | | | | |

- Ground Floor Porch exemption: A ground floor porch, including a screened porch, may be exempted, provided that the porch is not accessible by automobile and is not connected to a driveway; and the exemption may not exceed 200 square feet if a porch has habitable space or a balcony above it.
- 2 Garage and carport exemptions (in relation to primary structure): Exemptions must follow the code as outlined in Title 25-2 Subchapter F 3.3.2. Each amount listed (450 or 200) is the maximum exclusion allowed per the article designated. Note: Article 3.3.2 C, "An applicant may receive only one 450-square foot exemption per site under paragraph A. An applicant who receives a 450-square foot exemption may receive an additional 200-foot exemption for the same site under paragraph B, but only for an attached parking area used to meet minimum parking requirements."
- 30rdinance article 3.3.2 B 1 is 200 sq. ft. exemption may be combined with a 450 sq. ft. exemption. Otherwise only one 450 exemption or one 200 sq. ft. exemption may be taken.
- **4 Basement exemption:** A habitable portion of a building that is below grade may be exempted if the habitable portion does not extend beyond the first-story footprint and is below natural or finished grade, whichever is lower; and it is surrounded by natural grade for at least 50% of its perimeter wall area and the finished floor of the first story is not more than three feet above the average elevation at the intersections of the minimum front yard setback line and the side property lines.
- **5 Habitable Attic exemption:** A habitable portion of an attic may be exempted if: 1) The roof above it is not a flat or mansard roof and has a slope of 3 to 12 or greater; 2) It is fully contained within the roof structure; 3) It has only one floor; 4) It does not extend beyond the footprint of the floors below; 5) It is the highest habitable portion of the building, or a section of the building, and adds no additional mass to the structure; and 6) Fifty percent or more of the area over 5 feet has a ceiling height of seven feet or less.

| Contact Information | | | | | | |
|---|---|---|--|--|--|--|
| Owner | | Applicant/Agent | | | | |
| Mailing Address | | Mailing Address | | | | |
| Phone | | Phone | | | | |
| Email | | Email | | | | |
| | | | | | | |
| General Contractor | | Design Professional | | | | |
| Mailing Address | | Mailing Address | | | | |
| Phone | | Phone | | | | |
| Email | | Email | | | | |
| Authorization | | | | | | |
| I further underst that customer we to repair any dat permitted within public easement. I agree that thi compliance with current code means accurate. I furth or revoke any result in a submitted. I understand (a.k.a. an OSSF initiates the september of a may result in a september | ill bear the expense of any necessary relocationage to existing utilities caused during constitution or beneath driveways or sidewalks. Private is. Private plumbing lines will not cross lot lites. It is application in application explay be required. It is a publication explay be required. It is a septic system located and ability, er acknowledge that, should any information esulting permit and/or license. It is a septic system located on the or septic system) application by contacting a septic system permitting requirement needed to plumentation. Controls are required per Section. Stop Work Order and/or legal action by the lay. The property-specific information that may subdivision notes, deed restrictions, restriction and property-specific to proposed development on this property. It the review of this project by the City of Auganta I understand the implications of use and/or diditionally, I understand that the issuance of a recovenants applicable to the property. It if requested I must provide copies of any and any and any apply to the property. | y overhang in any public ion of existing utilities to truction. Water services plumbing appurtenance nes. In after the date it is fill bires, a new submittal variety the information provide a contained herein prove to visit and inspect the property, I am require Austin Water at (512) 97 proceed with the develop 25-8-181 of the LDC. If the City of Austin inclusion that applicant listed above the property of the review and crive covenants, zoning erty (collectively, the "Pestin will not include a remation and the request redevelopment restriction a City permit for this pround all of the Property In and all of the Property In a city of the Property In a city of the Property In and all of the Property In a city of the Property In a city of the Property In and all of the Property In a city of the Property In a city of the Property In and all of the Property In a city | cutility or drainage easement. I acknowledge of clear this driveway location and/or the cost meters, and wastewater cleanouts are not is will not be located in public right-of-way or ed, and will expire if not approved for will be required and compliance with ed in this application is complete and incorrect, the building official may suspend property for which this application is being ed to complete an On-site Sewage Facility 72-0050 or ossf@austintexas.gov . This preparent review process. Failure to comply with this requirement ading criminal charges and fines of up to enterprise to apply for and acquire a permit on my for construction of this project, including but conditional overlays, and/or other property Information"), located at: Eview of any private restrictive covenants or submitted to the City of Austin. I further that are a result of the Property of one of this property of the proper | | | |
| | | | Date: | | | |
| | | | Date: | | | |
| Design Professional | 's signature: | | Date: | | | |
| General Contractor's | s signature: | | Date: | | | |



Residential Review – One Texas Center 505 Barton Springs Road, Austin, TX 78704; Phone 3-1-1

Residential New Construction and Addition Permit Application

Additional Information

Application Process

Please submit all documents single-sided.

Submission requirements:

- □ Completed application
- □ 2 large-format sets of permit exhibits (11"x17", 12"x18", 18"x24", or 24"x36")
- □ 1 small-format set of permit exhibits (11"x17", 8.5"x14", or 8.5"x11")
- Austin Energy Building Service Plan Application (BSPA)
 Note: The BSPA and the small-format plot plan must be stamped by AE in the Development Assistance Center on the first (1st) floor of the One Texas Center prior to submittal
- Austin Water Utility W&WW Service Plan Verification, if water demand is to increase or a dwelling is added. (e.g. addition of a bath)
 - Note: The AWU form and the small-format plot plan must be stamped by AWU in the Development Assistance Center on the first (1st) floor of the One Texas Center prior to submittal
- Completed Demolition application with all required documentation, if any portion of an exterior wall is to be removed or modified. If submitting for a total demolition for new construction, demolition application must be submitted separately.

All drawings must be to a City of Austin verifiable scale, see <u>Building Criteria Manual</u> for additional details and a list of acceptable scales.

Check for expired permits: https://abc.austintexas.gov/web/permit/public-search-other?reset=true If there are expired permits associated with this property, they must be resolved. This can be done in the following ways:

Submit an Acknowledgement of Expired Permits form with this application if the work is not related to the work being permitted. OR Include it in the description of work on this application and reference expired permits to be resolved

If the Acknowledgement of Expired Permits form is used for this project, information about what will be required to resolve the expired permit(s) can be obtained during Residential Review General Information Walk-in hours.

All new construction must comply with the Visitability Ordinance.

Submit application package during Intake hours. For hours and additional information go to our website at http://www.austintexas.gov/department/residential-building-review

About the Review Disciplines

Technical Review – Any permit exhibits not sealed and signed by a Texas-registered architect or certified building designer will be subject to a limited technical review. The technical review is not intended to be exhaustive of all possible building code requirements. **Erosion Hazard** – There is a review of structural design if a property is located in the Erosion Hazard Zone, as defined by the boundaries located on the City of Austin GIS map. These zones align with locations where water flow and watershed could lead to erosion damage of the surrounding land features (e.g creeks, stream beds, ...).

Fire Review – There is additional review of a project if the square footage of a structure exceeds 3,600 square feet in area. The 3,600 sq. ft. includes the total goss building area: all first, second, and additional floor areas; attached covered porches, patios, decks, and balconys; attached garages; and any other attached roofed areas. The review ensures adequate proximity to fire hydrants and sufficient water supply to the hydrants based on the total gross area of the structure. Properties within 200 feet of a hazardous pipeline may also require additional review.

Floodplain Review – Any work requiring a permit on property located within 100 feet of the 100-Year floodplain will require additional review. If review is anticipated, include supporting information such as FEMA elevation certificate form 086-0-033 and/or topographic surveys referencing NAVD88. To check your property for proximity to a flood plain visit www.ATXFloodPro.com or the City's Floodplain Development Information website.

Historic Review – There is additional review of exterior changes if property is a City Landmark or located in a Local Historic District, National Register Historic District, H or HD zoned district, or partial demolition of exterior features on property over 45 years old.

Tree Review – All design proposals must abide by the Tree Preservation Criteria set forth in Section 3.5.2 of the City of Austin's Environmental Criteria Manual. Cut and fill is limited to 4" within ½ Critical Root Zones (foundations cannot adhere to this), canopy removal is limited to 25% or less per tree, and 50% or more of the full Critical Root Zone must be kept at natural grade with natural ground cover. If proposing to remove a tree that is dead, diseased or an imminent hazard, please provide a Tree Risk Assessment from a Certified Arborist and/ or photographic evidence

Additional Information, Continued

Documentation Explanations and Definitions

Permit Exhibits:

<u>Plot Plan</u> – Plot Plans must be drawn to a standard scale and are to include but are not limited to the following items: property address and legal description, north arrow, drawing scale, trees within the ROW or trees equal to or greater than 19 inches in diameter located on the property and immediately adjacent to the property, property lines, building lines for both existing and proposed improvements, easements, required zoning setbacks and roof overhangs, water meter and wastewater cleanout locations, underground and overhead utility lines and appurtenances, and water and/or wastewater line size and material.

<u>Floorplan(s)</u> – Floorplans must be drawn to a standard scale and are to include (but are not limited to) the following items: drawing scale, room labels, new wall measurements, new ceiling heights, new door and window schedule, smoke detector* and carbon monoxide detector** specifications and locations, dimensioned locations of new plumbing fixtures, handrail/guardrail locations and room square footages. Please provide Existing and Proposed Floor plan if part of the improvements includes removing or adding any wall, window, door, plumbing fixtures, etc. Clearly differentiate between existing, demolished, and new items.

*provide smoke detector system (hardwired, interconnected, battery back-up) at each sleeping room and vicinity in accordance with IRC R314

**provide carbon monoxide detector in immediate vicinity of sleeping rooms in accordance with IRC R315.

<u>Exterior Elevations</u> – Elevation plans must be drawn to a standard scale are to include front, rear, and sides of the structure. For additions, elevations are required of all sides of the new portion of the structure. Height deminsions are required on all elevations. If building height exceeds 20' or building is multi-story include deminsions of high, low, and average elevations at grade.

<u>Setback Plane Compliance Plan</u> – If subject to Subchapter F - A separate exhibit must be submitted showing topographic elevations on 1-foot intervals on the property, including the top of foundation spot elevation and intersections of the property boundary with the building line segments per Subchapter F, Section 2.6. All topographic information must be prepared and sealed by a Texas-registered professional land surveyor.

Structural Drawing(s) -

Foundation plan of sufficient detail to show conformance to the provisions of the currently adopted IRC including but not limited to:
1) size, spacing and strength of reinforcing steel 2) foundation requirements for braced wall panels required in braced wall plan.

Wall and floor/ceiling/roof sections and details, framing plans and/or framing design information as follows:

General – lumber size, grade, species and spacing of all wood elements.

Wood framed floors – spans and intermediate girders

Wood framed walls – wall type (e.g. 2x4's @ 16 in. o.c.), wall height, headers.

Wood framed roofs – roof framing plan to include rafters and girders as a minimum.

Brace wall plan showing compliance with the currently adopted IRC. The plan shall clearly indicate the braced wall lines and the braced wall method use for compliance to expedite review.

Additional Requirements:

Non-complying Structures (applicable to all work types) –

A separate exhibit must be submitted showing the existing building footprint location in relation to the property boundaries and required setbacks. Exterior walls and supporting structural elements must be clearly labeled and dimensioned showing walls to be removed per Land Development Code Section 25-2-963.

Setback Averaging -

If using setback averaging, one copy of the Contextual Site Plan showing four adjacent properties with location of existing buildings and existing front yard setbacks identified for front yard setback averaging per the provisions of Subchapter F, Residential Design and Compatibility Standards, Section 2.3.

Surveys must be provided by a Texas-registered professional land surveyor showing existing buildings and their distance from the front lot line.

Design Professionals -

For any project exceeding 20 feet in height or more than one-story within the Subchapter F boundaries, all permit exhibits must be sealed and signed by a Texas-registered architect or certified building designer (National Council of Building Designers or Texas Institute of Building Design)

Localized flooding -

If there is a storm drain inlet or pipe, drainage ditch, or drainage easement on or near the property or the property is at the low point of a roadway, there may be a chance of flooding from the local drainage system. The proposed development cannot cause additional flooding on other property nor have an adverse impact on the existing local drainage system. Contact the Development Assistance Center for more information

.Tree Survey -

Provide a tree survey per ECM 3.3.2 that labels the ¼, ½ and full Critical Root Zones and provides the diameter and species of each protected tree (a Tree Legend is recommended). Depict proposed access routes and material staging. Show all proposed and existing utilities. Show specific locations of tree protection fencing and mulching per requirements of ECM 3.5.2.

| Calculation Aid | | | | | |
|---|---------------------|--|--------------|--|--|
| Area Description Note: Provide a separate calculation for each distinct area. Attach additional sheets as necessary. Measurements are to the outside surface of the exterior wall. | Existing Sq Ft | New/Added Sq Ft | Total Sq Ft | | |
| a) 1st floor conditioned area | | | | | |
| b) 2 nd floor conditioned area | | | | | |
| c) 3 rd floor conditioned area | | | | | |
| d) Basement | | | | | |
| e) Attached Covered Parking (garage or carport) | | | | | |
| f) Detached Covered Parking (garage or carport) | | | | | |
| g) Covered Wood Decks (counted at 100%) | | | | | |
| h) Covered Patio | | | | | |
| i) Covered Porch | | | | | |
| j) Balcony | | | | | |
| k) Other – Specify: | | | | | |
| , | | | | | |
| Total Building Area (TBA) (add: a through k) Total Building Coverage (TBC) | | | | | |
| (from TBA subtract, if applicable: b, c, d, and j) | (<u>A</u>) | | (<u>B</u>) | | |
| l) Driveway | | | | | |
| m) Sidewalks | | | | | |
| n) Uncovered Patio | | | | | |
| o) Uncovered Wood Decks (counted at 50%) | | | | | |
| p) AC pads and other concrete flatwork | | | | | |
| q) Other (Pool Coping, Retaining Walls) | | | | | |
| Total Site Impervious Coverage (add: TBC and 1 through q) | (<u>C</u>) | | (<u>D</u>) | | |
| r) Pool | | | _ | | |
| s) Spa | | | | | |
| 3) Spu | | | | | |
| Building Coverage Information Note: Building Coverage means the area of a lot covered by buildings or roofed areas, but excludes ground level paving, landscaping, open recreational facilities, incidental projecting eaves, balconies, and similar features. Pools, ponds, and fountains are not included in this measurement. (LDC 25-1-21) | | | | | |
| Lot Area (sq. ft.): | | | | | |
| Existing Building Coverage (see above A, sq. ft.): | | | | | |
| Existing Coverage % of lot (<u>A</u> ÷ Lot Area) x 100 : % | | | | | |
| Final Building Coverage (see above B , sq. ft.): | | (D. I. (A.) | 100 | | |
| Fina | l Coverage % of lot | $(\underline{\mathbf{B}} \div \mathbf{Lot} \mathbf{Area})$ | x 100 : % | | |
| Impervious Cover Information | | | | | |
| Note: Impervious Cover Information Note: Impervious cover is the total horizontal area of covered spaces including all building coverage, paved areas, walkways, and driveways. The term excludes pools, ponds, fountains, and areas with gravel placed over pervious surfaces that are used only for landscaping or by pedestrians. (LDC 25-1-23) | | | | | |
| Existing Impervious Coverage (see above <u>C</u> , sq. ft.): | | | | | |
| Existing | g coverage % of lot | $(\underline{\mathbf{C}} \div \mathbf{Lot} \mathbf{Area})$ | x 100 :% | | |
| Final Impervious Coverage (see above <u>D</u> , sq. ft.): | | | | | |
| Fina | l coverage % of lot | $(\underline{\mathbf{D}} \div \mathbf{Lot} \mathbf{Area})$ | x 100 :% | | |